| Species name | Common name | Location | Grid reference | Date | Observer | Abundance |
|---|---|---|---|---|---|---|
| Arctium minus | Lesser Burdock | Hoxne churchyard | TM18124 77489 | 03-Apr-19 | Marie Lagerberg | |
| Symphytum grandiflorum | Creeping Comfrey | Hoxne churchyard | | | | In one large patch behind almshouse |
| Galium aparine | Cleavers/Goosegrass | Hoxne churchyard | | | | Abundant |
| Urtica dioica | Nettle | Hoxne churchyard | | | | Abundant |
| Arum maculatum | Cuckoo pint | Hoxne churchyard | | | | In shade by path from car park |
| Aegopodium podagraria | Ground elder | Hoxne churchyard | | | | |
| Geum urbanum | Wood avens | Hoxne churchyard | | | | In shaded areas - plentiful |
| Veronica hederifolia | Ivy-leafed Speedwell | Hoxne churchyard | | | | Around boundaries - more plentiful |
| Veronica filiformis | Slender Speedwell | Hoxne churchyard | | | | Along back hedge area small patch |
| Viola reichenbachiana | Early Dog violet | Hoxne churchyard | | | | Abundant under the trees |
| Viola odorata | Sweet violet | Hoxne churchyard | | | | Abundant under the trees |

| | | | | | | |
|---|---|---|---|---|---|---|
| Rumex obtusifolius | Broad leaved dock | Hoxne churchyard | | | | |
| Rumex acetosa | Common sorrel | Hoxne churchyard | | | | |
| Geranium robertianum | Herb Robert | Hoxne churchyard | | | | |
| Geranium pyrenaicum | Hedgerow geranium | Hoxne churchyard | | | | |
| Alliaria petiolata | Garlic mustard | Hoxne churchyard | | | | |
| Pentaglottis semervirens | Green Alkanet | Hoxne churchyard | | | | Abundant |
| Primula vulgaris | Primrose | Hoxne churchyard | | | | Abundant |
| Lamium alba | White deadnettle | Hoxne churchyard | | | | Abundant |
| Lamium rubra | Red dead nettle | Hoxne churchyard | | | | Abundant |
| Glechoma hederacea | Ground ivy | Hoxne churchyard | | | | Several good sized patches |
| Parietaria judaica | Pellitory of the wall | Hoxne churchyard | | | | On the church wall - two small patches |
| Senecio jacobaea | Ragwort | Hoxne churchyard | | | | |
| Cerastium fontanum | Common mouse ear | Hoxne churchyard | | | | |
| Senecio vulgaris | Groundsel | Hoxne churchyard | | | | |

| | | | | | | |
|---|---|---|---|---|---|---|
| Cymbelaria muralis | Ivy-leaved toadflax | Hoxne churchyard | | | | In church brickwork and on large tombstones |
| Rubus fructicosus | Bramble | Hoxne churchyard | | | | Ssp not identified. |
| Potentilla sterilis | Barren Strawberry | Hoxne churchyard | | | | |
| Circium vulgare | Spear thistle | Hoxne churchyard | | | | |
| Mahonia aquifolium | Mahonia | Hoxne churchyard | | | | |
| Vinca major | Greater periwinkle | Hoxne churchyard | | | | |
| Myosotis arvensis | Field Forget me not | Hoxne churchyard | | | | |
| Euphorbia peplus | Petty Spurge | Hoxne churchyard | | | | Small number in shaded areas |
| Chelidonium majus | Greater celandine | Hoxne churchyard | | | | Abundant around church walls |
| Ranunculus bulbosus | Bulbous buttercup | Hoxne churchyard | | | | |
| Ranunculus ficaria | Lesser celandine | Hoxne churchyard | | | | |
| Anthriscus sylvestris | Cow parsley | Hoxne churchyard | | | | |
| Bellis perennis | Field daisy | Hoxne churchyard | | | | |
| Leucanthemum vulgare | Ox eye daisy | Hoxne churchyard | | | | In lee of hedge running alongside Church Close |

| | | | | | | |
|---|---|---|---|---|---|---|
| Luzula campestris | Field woodush/Good Friday grass | Hoxne churchyard | | | | Small patch in mown area near James Feaveayear's grave |
| Achillea millefolium | Yarrow | Hoxne churchyard | | | | |
| Plantago lanceolata | Ribwort Plantain | Hoxne churchyard | | | | |
| Plantago major | Broad leaved plantain | Hoxne churchyard | | | | |
| Cardamine hirsuta | Hairy Bittercress | Hoxne churchyard | | | | |
| Mercurialis perennis | Dogs Mercury | Hoxne churchyard | | | | Abundant in shade under trees |
| Potentilla reptans | Creeping cinquefoil | Hoxne churchyard | | | | |
| Hedera helix | Ivy | Hoxne churchyard | | | | |
| Taraxacum | Dandelion | Hoxne churchyard | | | | |

| Comment | Mail to martin.sanford@suffolk.gov.uk |
| --- | --- |
| Older areas of the churchyard are less tended and as a result there are more species evident. Newer areas of the churchyard are mown with clippings left on site which will enrich the soil making it less suitable a habitat for wildflowers. | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

